

liftroller® el mover



Can lift 1200 kg - 1,2 meters above ground level

liftrroller® el mover

TECHNICAL SPECIFICATIONS

| | |
|------------------------|-------------|
| Minimum height trolley | 530 mm |
| Maximum height trolley | 1230 mm |
| Length of table | 1700 mm |
| Width of table | 786 mm |
| Length of trolley | 2098 mm |
| Width of trolley | 832 mm |
| Charging unit | 230 V |
| Battery | 24V 2x96 Ah |
| Max. weight load (WLL) | 1200 kg |
| Tare weight total | 540 kg |
| Speed | 0-6 km/h |



Liftroller El mover – remote operated trolley

This heavy duty self-propelled transport trolley can lift a load of 1200 kg as high as 1230 mm, and lower the load as low as 530 mm. It turns on both axels, and unlike most other trolleys it has no handlebar. Using remote control to move it around, you can easily transport long items. The high lifting range makes it ideal for a flexible working bench for better ergonomics.



- Remote controlled - Fun to drive!
- Extensive battery capacity.
- Lashing points for securing load.
- Integrated lifting points for crane or forklift.
- Slots for special trestles to lower the load on to.
- Very maneuverable – turn on both axles.
- Integrated foldable supports for easy lift on and off loads.
- Integrated charger for both wagon and remote control.
- Available also with roller conveyor system on top.



liftroller®

HEAD OFFICE + 47 415 85 100.

post@liftroller.no

Leirvikåsen 45, 5179 GODVIK, Norway